# BEST COPY Available THROUGHOUT FOLDER

15

# Jease 2002/06/13: CIA-RDP69B0004 D002200070001-7

START: HOURS		MISSION NUMBER:	- 190 <b>6</b> 2
STOP :HOURS	. *	DATE:	
FINAL MISSION BRI	IEFING/SENSITIVE P	ORTION (H-4:30)	
REPRESENTING		NAME	
A. COMMANDER	(i)		
B; DCM			
C. DDCM			
D. DCO			
E. PROJECT PILOT (PRIMARY)	9		
F. PROJECT PILOT (ALTERNATE)			
G. PROJECT PILOT (RESERVE)			
H. TANKER COMMANDER	* *		
II WEATHER	···		
J. FLIGHT SURGEON			-
K. INTELLIGENCE	. # <b>*</b>		
L. COMMUNICATIONS (DCS)	and the second s		
M. FILM STRIP OPERATOR	, *		<u> </u>
V. RECORDER	, ,		•
O. MISSION BRIEFER			
	-		



Approved For Release 2002 05/ 5 : GAR0F53800041R002200070001-7

START: HOURS	MISSION NUMBER: BX67	Si Cara
STOP : HOURS	DATE:	1967
		9
FINAL MISSION BRID		
REPRESENTING	NAME	
A. COMMANDER		
B. DCO		3
C. ADGO		
D. DCM		
E. WEATHER		
F. PROJECT PILOT (PRIMARY)		
G. PROJECT PILOT (ALTERNATE)		
H. PROJECT PILOT (RESERVE)	<u> </u>	
I. FLIGHT SURGEON		· ·
J. FILM STRIP OPERATOR	1	•
KVCRECORDER		:;
L. FLIGHT PLANNER		*
M. COMMUNICATIONS (DCS)		
THOSE LISTED BELOW ARE EXCUSED AFTER	THE MAINTAINENCE BRIEFIN	īg; Z
O, MAINTENANCE MANAGER		
P. ACFT CREW CHIEF		-
Q. ACFT SYSTEMS		
R. PACKAGE		
S. INS		
T. SAS/AUTO PILOT		· ·
U. CECO	gas aga	
V. ARC=50		
VERIFIED BY:	ECURITY OFFICER	

25X1D

Approved For Release 2002/06/13 : CIA-RDP69B00041R002200070001-7

## Approved For Please 2002/06/13 : CIA-RDP69B0004 15302200070001-7

START: HOURS	·	MIS	SION NUMBER	:
STOP : HOURS		DAT	E:	
T	SENSITIVE DEBRIEFING	(LANDING	+ 00:45)	
REPRESENTING	i e	•	name	
A. COMMANDER		· 8	241247	
B. DCO				
C. DCM		· ·		
D. PROJECT PILOT				
E. INTELLIGENCE				
F. WEATHER		····		
G. FLIGHT PLANNER				
H. FLIGHT SURGEON		-		
I. RECORDER		-		
• • •	WINDER TY	x.	•	
	VERIFI		RITY REPRES	SENTATIVE

## SECRET

Approved For lease 2002/06/13 : CIA-RDP6	9B00041 <b>32</b> 02200070001-7
START: HOURS SECRE	MISSION NUMBER:
GTOP:HOURS	DATE:
MISSICH DEBRIEFING (LANDI	NG + 1:00)
REPRESENTING	NAME.
A. COMMANDER	
B. DCO	patholic and Allegan ( constant and analysis of the constant and analysis
C. DCM	
D. FLIGHT PLANNER	
E. WEATHER	
F. PROJECT PILOT	
G. INTELLIGENCE	values and the second of the s
H. MAINTENANCE MANAGEE	
J. CREW CHIEF	allows, where in place is recognised to address the address of the state of the second to recognise and the form
J. FNGINCS	
K. INVETS	gender op der sonderen 💎 sign och der spellensprinkelinde bestellt untgewert ein printig den bestellt generalskape
L. SAS/AUTO PILOT	an marken de pelitiro - A significação combigina sorial se de el historia de la compansión
M. ARC-50	Annual Control of the
N.	
O. IACKAGE	Specific special sector of content special spe
P.DATA ANALYSIS	
Q. COMMUNICATIONS	
D TAVE	

VERTEEND RY:

## SECRET

Approved For Release 2002/06/13: CIA-RDP69B00041R002200070001-7

S. RMCORDER

### Approved For ease 2002/06/13 : CIA-RDP69B0004 2002200070001-7

START:	HOUR3	SE	CR		MISSION NUMBER:
orop:		Single State of the State of th			DATE:
1		E DEBRIEF (	TYPE )	(LANDING	•
ROPRESENTE	NG.				MANE
A. COMMANDI	ER.				
B. DCO.		*	r.		
G. DCM					
D.				*.	
E. FLIGHT	SURGEON		•		
F. PACKAGE					
G. FLIGHT	PLANNER	,			
H. RECORDER	ર		•		
		TO CONTROL OF A MARKET STATE OF THE OWNER OWNER OWNER OF THE OWNER OWNER.	-		
START:	HOURS			:	MISSICH NUMBER:
STOP :	_HOURS				DATE:
	en systi	em debrief (	[LANDING	+ 2:00)	
REPRESENTA	<u>vG</u>				NAME
A. COMMANDI	R				
3. D <b>C</b> O					
D. DCM					
FLIGHT I	PLANNEE				STEEL OF THE THE STEEL
r. Flacht s	SURGLON				
. RECORDER	ì.	SEC	RE	FIED RY:	

SECURLE REPRESENTATIVE Approved For Release 2002/06/13 : CIA-RDP69B00041R002200070001-7

25X1D

25X1A

Next 6 Page(s) In Document Exempt

Approved For Release 2002/06/13: CIA-RDP69B00041R002200970041-7 1

D DIGITATOR

SEC TY CHECK LIST

H HOUR_	z/	L DA	ATE Z/ L MISSION NUMBER RX600	9
24 HR MSN GENERATIO		TIME COMP	FUNCTION	
H-23½	ibbo	7310	SSO attend CMDRS. briefing. ACFT designated. Obtain access lists from DCO, DCM, DCOW, DCOL, DCOM. (For hanger & cockpit area).	
%H−23	1100 .	1100	Hangers secured. Guard posted & given required access lists.	
WHEN READY		e	POL trucks secured in POL compound.	
<u>H-20</u>	1580	Professional Programme	SSO inspect survival kits, Primary & Alternate, at Life Support.	5X1 <i>/</i>
* <u>H-19</u>	1600	<u> </u>	Notify CP numbers of seat kits( Primary & Alternate) used for	
H-18½	<u>1630</u> 1900		SSO inspect & seal E&E kits. Transfer to Life Support.	
H-18	1700	1965	SSO attend initial INTELL briefing, in INTELL vault. (Access list).	
<u>H-17</u>	18.00	1936	SSO attend initial pilot briefing. ( Access List).	
WHEN READY  H-13-8½	2200	11/8 (cure e)	POL to ACFT. Refuel ACFT. ( Guard notify Duty Dispatcher.	
	California de Asserba		doors remain closed while loading).	
NLT * <u>H-5</u>	०४३०	****	Send seat contents list via 25X1A	
H <b>-4</b>	0230		SO sterilize cockpit. ( Access list).	
<u>H-3:1</u> 5	0.705	***************************************	SSO attend final pilot briefing.	
H-3	0730	-	Seat Kit installed by Life Support.	
H-1:45	6845		Pilot suit up. SSO check suit & contents for sterility.	
<u>H-1:3</u> 0	6400	-	Film strip installed in ACFT.	
H-1:05	0 425		SSO notify dispatcher when pilot in van. Dispatcher notify guard at Hanger, van on way.	
<u>H-1:0</u> 5	<u>ಿ ೪೨೨</u> Approved For	Release 20	Pilot to ACFT. Guard notify dispatcher when 002/06/13FCMPRDP69B00041R002200070001-7	
			·	

## Approved For Release 2002/06/13 : CIA-RDP69B00041R002200070001-7

H-0:25	1005		Duk spatcher call AP's for traffic com-
H-Hour	1030,		SC dispatcher & give ATD.
H+-1:00	1130		, 4SA's recovery ACFT on instructions from CP.
H+1:30	•		O sterilize cockpit of Alternate ACFT. ( Access list)
<u>I</u> ,	7		SSO & SO meet & maintain security on ACFT until sterilized.
<u>I+0:10</u>	· · · · · · · · · · · · · · · · · · ·		SO maintain security on cockpit until film strip & charts have been removed. Life Support remove seat kit at same time. PLUS INS TAPE
<u>L+0:12</u>			SSO in van with pilot to Life Support. ( Guard notify dispatcher).
L+0:45	***************************************		SSO attend pilot debriefing. ( Access list).
L+0:45			Unload camera from ACFT. ( Hanger doors remain closed until unloaded.
L+0:45	****		INS tapes(2) & hard copy to Security.
WHEN READY	***************************************		SSO inform Mission coordinator to release ACFT when ACFT is deemed sterile.
WHEN			25X1D
READY			Receive at Security. (FWD).
<u>I+2:00</u>	-		Briefing/Debriefing tapes to Security (FWD).
<u>I+2-40</u>		·	Security courier pick up TAKE & move to TAKE ACFT. (Stay with until arrive at TAKE destination). (FWD)
L+2-4		1955	
WHEN \\ READY			25X1D
L+5-9		· · · · · · · · · · · · · · · · · · ·	SCDM tape & run to Security.

<sup>\*</sup> Notify CP.

#### LITY CHECK LIST

H HOUR	3/10:	OL D	ATE Z/2JGL L MISSION NUMBER BX6007
24 HR MSN GENERATIC	LOCAL	TIME COMP	FUNCTION
H-23½	1100	1310	SSO attend CMDRS. briefing. ACFT designated. Obtain access lists from DCO, DCM, DCOW, DCOL, DCOM. (For hanger & cockpit area).
*H-23	<i>113</i> 0	1155	Hangers secured. Guard posted & given required access lists.
WHEN READY	**************************************	garantanan yang	POL trucks secured in POL compound.
<u>H-20</u>	1530	1515	SSO inspect survival kits, Primary & Alternate, at Life Support.
* <u>H=19</u>	1630	1530	Notify CP numbers of seat kits( Primary & Alternate) used for 25X1A
<u>H-18½</u>	1200	<del></del>	SSO inspect & seal E&E kits. Transfer to Life Support.
<u>H-18</u>	1930	-	SSO attend initial INTELL briefing, in INTELL vault. (Access list).
H <b>-17</b>	1830		SSO at ad initial pilot briefing. (Access List).
WHEN READY		•	POL to ACFT. Refuel ACFT. ( Guard notify Duty Dispatcher.
H-13-8½	9730		Camera loaded in ACFT. ( SO make sure hanger doors remain closed while loading).
NLT * H-5	0530		Send sent contents list via
H-4	0630	-	SO sterilize cockpit. ( Access list).
<u>H-3:1</u> 5	0215		SSO attend final pilot briefing.
H-3	0230	Relitation on the regional	Seat Kit installed by Life Support.
<u>H-1:4</u> 5	0845	•	Pilot suit up. SSO check suit & contents for sterility.
<u>H-1:3</u> 0	0900		Film strip installed in ACFT.
<u>H-1:0</u> 5	0925	resident special section of the sect	SSO notify dispatcher when pilot in van. Dispatcher notify guard at Hanger, van on way.
<u>H-1:0</u> 5	0925		Pilot to ACFT. Guard notify dispatcher when
Ap	proved For F	Release 20	00ਐ·68/13 : 연생유DP69B00041R002200070001-7

1XFROI

H-0:25	1005		Dispatcher call AP's for traffic conv	
H-Hour	1030		call dispatcher & give ATD.	
<u>H+1:00</u>	1/30		SO, 4SA's recovery ACFT on instructions from CP.	
<u>H+1:30</u>	1.200	****	SO sterilize cockpit of Alternate ACFT. ( Access	list)
L		<del>Companies of the Section</del>	SSO & SO meet & maintain security on ACFT until sterilized.	
L+0:10	- de dans mariama de maria	2	SO maintain security on cockpit until film strip & charts have been removed. Life Support remove seat kit at same time. PLUS INS TAPE	
L+0:12	-	<del></del>	SSO in van with pilot to Life Support. ( Guard notify dispatcher).	
L+0:45		-	SSO attend pilot debriefing. ( Access list).	
L+0:45		***************************************	Unload camera from ACFT. ( Hanger doors remain closed until unloaded.	
L+0:45		-	INS tapes(2) & hard copy to Security.	
WHEN ≭READY			SSO inform Mission coordinator to release ACFT when ACFT is deemed sterile.	
WHEN READY			Receive at Security. (FWD).	25X1D
<u>L+2:00</u>	·.	4	Briefing/Debriefing tapes to Security (FWD).	
L+2-40			Security courier pick up TAKE & move to TAKE ACFT. (Stay with until arrive at TAKE destination). (FWD)	
<u>1+2-4</u>				
WHEN 'READY		-		25X1D
L+5-9			SCDM tane & run to Security.	

<sup>\*</sup> Notify CP.

#### Approved For Release 2002/06/13 : CIA-RDP69B00041R002200070001-7

SECURITY CHECK LIST

	7000
103 (13X)	
EX F	ixi เมน

KEBO

			SECURITY CHECK LIST
н ноик_103 с	2/ /c?	SO L DA	ATE 7/ L MISSION NUMBER BA
24 HR M GENERATION	LOCAL TIME	TIME COMP	FUNCTION
H-23½	<u>1100</u>		SSO attend CMDRS. briefing. ACFT designated. Obtain access lists from DCO, DCM, DCOW, DCOL, DCOM. (For hanger & cockpit area).
*H-23	<u>1130</u>	***************************************	Hangers secured. Guard posted & given required access lists.
WHEN READY			POL trucks secured in POL compound.
<u>H-20</u>	1530		SSO inspect survival kits, Primary & Alternate, at Life Support.
*H-19	1630		Notify CP numbers of seat kits( Primary & Alternate) used for 25X1A
H-18½	1700		SSO inspect & seal E&E kits. Transfer to Life Support.
H-18	1730	hindi wakii mujimaan kap	SSO attend initial INTELL briefing, in INTELL vault. (Access list).
H-17	<u> 1830</u>		SSO attend initial pilot briefing. ( Access List).
WHEN READY	er filosoficiones consultados	Shared-manning traps	POL to ACFT. Refuel ACFT. ( Guard notify Duty Dispatcher.
H-13-8½	2230	-	Camera loaded in ACFT. ( SO make sure hanger doors remain closed while loading).
NLT # H-5	0530	***************************************	Send seat contents list via 25X1A
H-4	0 630		SO sterilize cockpit. ( Access list).
<u>H-3:1</u> 5	07/5"		SSO attend final pilot briefing.
Н-3	C130		Seat Kit installed by Life Support.
<u>H-1:4</u> 5	0715		Pilot suit up. SSO check suit & contents for sterility.
H-1:30	0900	-	Film strip installed in ACFT.
<u>0</u> 5	<u>0773-5</u>	Ministrative	SSO notify dispatcher when pilot in van. Dispatcher notify guard at Hanger, van on way.
. <u>9</u> 5	0925		Pilot to ACFT. Guard notify dispatcher when pilot arrives.
A	pproved Fo	r Release	2002/06/13 : CIA-RDP69B00041R002200070001-7

. 900	•	
XEBO.		

H-0:25	1605	Bankle (1971-1971-1971-1971-1971-1971-1971-1971	Dispatcher call AP's for traffic contra
H-Hour	1030		SO call dispatcher & give ATD.
<u>H+1:00</u>	1130		SO, 4SA's recovery ACFT on instructions from CP.
H+1:30	1200	No. of the latest section of the latest sect	SO sterilize cockpit of Alternate ACFT. ( Access list)
L			SSO & SO meet & maintain security on ACFT until sterilized.
<u>L+0:10</u>	· · · · · · · · · · · · · · · · · · ·	:	SO maintain security on cockpit until film strip & charts have been removed. Life Support remove seat kit at same time. PLUS INS TAPE
<u>L+0:12</u>	•		SSO in van with pilot to Life Support. (Guard notify dispatcher).
L+0:45			SSO attend pilot debriefing. ( Access list).
<u>L+0:45</u>		***************************************	Unload camera from ACFT. ( Hanger doors remain closed until unloaded.
L+0:45	-	-	INS tapes(2) & hard copy to Security.
WHEN *READY			SSO inform Mission coordinator to release ACFT when ACFT is deemed sterile.
WHEN READY			25X1D
L+2:00			Receive at Security. (FWD).
	-	,	Briefing/Debriefing tapes to Security (FWD).
<u>L+2-40</u>	(2)		Security courier pick up TAKE & move to TAKE ACFT. (Stay with until arrive at TAKE destination). (FWD)
L+2-4			25X1D
WHEN \ READY	<del>and the same of t</del>	,	20/(10
<u>L+5-9</u>		-	SCDM tape & run to Security.

<sup>\*</sup> Notify CP.

Next 2 Page(s) In Document Exempt